




# TUFTED BROADLOOM CARPETS



---

Tuftline Paris	102	Tuftline Sweet	112
Tuftline Loft	104	Tuftline Colorado	114
Tuftline Delicate	105	Tuftline Rivoli	116
Tuftline Class	106	Tuftline Honfleur	117
Tuftline Metal	108	Tuftline Cabourg & Giverny	118
Tuftline Disco	110	Tuftline Deauville & Normandy	120
Tuftline Caresse	111	Tuftline Palma	122



Tufted broadloom carpet delivered in 4m width.



## Paris 617354001-XXXXX



PARIS	
SPECIFICATION	N°617354001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 30 LM)
Surface / Pile Fibre / Fibra	100% Polyamide (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	Woven PP
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/10 loop pile
Densité / Tuft Density / Densidad	150 900 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	5,0 mm
Masse totale / Total Weight / Peso total	1395 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	430 g/m <sup>2</sup>
Masse de velours utile / Mass of pile above the substrate / Peso útil	344 g/m <sup>2</sup>
Densité du velours de surface / Surface pile density / Densidad del hilo	0,11 g/cm <sup>3</sup>
Epaisseur velours utile / Thickness of pile above the substrate / Altura del hilo	3,0 mm
TECHNICAL PERFORMANCES	
Classification (EN 1307)	31- Commercial Moderate / LC1
Environment	GuT Prüfnummer 20592


# TUFTLINE LOFT



Tufted broadloom carpet delivered in 4m width.



## Loft 515844001-XXXXX



LOFT	
SPECIFICATION	N°515844001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25-30 LM)
Surface / Pile Fibre / Fibra	100% PA (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	5/32 bulky loop pile
Densité / Tuft Density / Densidad	78 120 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	7,0 mm
Masse totale / Total Weight / Peso total	1500 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	545 g/m <sup>2</sup>

TECHNICAL PERFORMANCES	
Classification (EN 1307)	22+ Domestic General / LC2
Environment	GuT Prüfnummer 24285



# TUFTLINE DELICATE



Tufted broadloom carpet delivered in 4m width.




## Delicate 525464001-XXXXX




DELICATE	
SPECIFICATION	N°525464001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25-30 LM)
Surface / Pile Fibre / Fibra	100% PA (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/10 Cut pile
Densité / Tuft Density / Densidad	267 920 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	11,0 mm
Masse totale / Total Weight / Peso total	2000 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1200 g/m <sup>2</sup>

TECHNICAL PERFORMANCES	
Classification (EN 1307)	23 Domestic General / LC5
Environment	GuT Prüfnummer 24286





## Class 625324001-XXXXX



CLASS	
SPECIFICATION	N°625324001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 30 LM)
Surface / Pile Fibre / Fibra	100% Polyamide (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	Woven PP
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/10 COC
Densité / Tuft Density / Densidad	295 000 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	6,0 mm
Masse totale / Total Weight / Peso total	1670 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	790 g/m <sup>2</sup>
Masse de velours utile / Mass of pile above the substrate / Peso útil	494 g/m <sup>2</sup>
Densité du velours de surface / Surface pile density / Densidad del hilo	0,12 g/cm <sup>3</sup>
Epaisseur velours utile / Thickness of pile above the substrate / Altura del hilo	4,0 mm
TECHNICAL PERFORMANCES	
Classification (EN 1307)	31- Commercial Moderate / LC2
Environment	GuT Prüfnummer 24531


Tufted broadloom carpet delivered in 4m width.





## TECHNICAL DATA

### Metal 515614001-XXXXX



METAL	
SPECIFICATION	N° 515614001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25-30 LM)
Surface / Pile Fibre / Fibra	100% PA (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/10 Level loop pile
Densité / Tuft Density / Densidad	261 500 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	5,0 mm
Masse totale / Total Weight / Peso total	1460 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	660 g/m <sup>2</sup>
TECHNICAL PERFORMANCES	
Classification (EN 1307)	23/32- Commercial General / LC2
Environment	GuT Prüfnummer 24463

Tufted broadloom carpet  
delivered in 4m width.



# TUFTLINE DISCO



Tufted broadloom carpet delivered in 4m width.




DISCO	
SPECIFICATION	N°616104001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 30 LM)
Surface / Pile Fibre / Fibra	100% Polyamide (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	Woven
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/8 loop pile
Densité / Tuft Density / Densidad	108 120 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	8-10 mm
Masse totale / Total Weight / Peso total	2090 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1080 g/m <sup>2</sup>
Masse de velours utile / Mass of pile above the substrate / Peso útil	865 g/m <sup>2</sup>
Densité du velours de surface / Surface pile density / Densidad del hilo	0,11g/cm <sup>3</sup>
Epaisseur velours utile / Thickness of pile above the substrate / Altura del hilo	5-8mm

TECHNICAL PERFORMANCES	
Classification (EN 1307)	33- Commercial Heavy/ LC3
Environment	GuT Prüfnummer 24779



## Disco 616104001-XXXXX



# TUFTLINE CARESSE



Tufted broadloom carpet delivered in 4m width.



## Caresse 529074001-XXXXX



CARESSE	
SPECIFICATION	N°529074001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25-30 LM)
Surface / Pile Fibre / Fibra	100% PA (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	Woven
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/10 cut pile
Densité / Tuft Density / Densidad	161 540 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	15 mm
Masse totale / Total Weight / Peso total	2300 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1440 g/m <sup>2</sup>

TECHNICAL PERFORMANCES	
Classification (EN 1307)	22+ Domestic General / LC5
Environment	GuT Prüfnummer 23829





## Sweet 627354001-XXXXX



SWEET	
SPECIFICATION	N°627354001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 30 LM)
Surface / Pile Fibre / Fibra	100% Polyamide (Piece dyed)
Premier dossier / Primary Backing / Soporte primario	Woven
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/10 Cut pile
Densité / Tuft Density / Densidad	163 400 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	10,5 mm
Masse totale / Total Weight / Peso total	2000 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1070 g/m <sup>2</sup>
Masse de velours utile / Mass of pile above the substrate / Peso útil	850 g/m <sup>2</sup>
Densité du velours de surface / Surface pile density / Densidad del hilo	0,10 g/cm <sup>3</sup>
Epaisseur velours utile / Thickness of pile above the substrate / Altura del hilo	8,5 mm
TECHNICAL PERFORMANCES	
Classification (EN 1307)	33 Commercial Heavy / LC2
Environment	GuT Prüfnummer 24777

Tufted broadloom carpet delivered in 4m width.





## Colorado 620964001-XXXXX




COLORADO	
SPECIFICATION	N°620964001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25LM)
Surface / Pile Fibre / Fibra	100% PA
Premier dossier / Primary Backing / Soporte primario	Woven
Envers / Backing / Revés	
Jauge / Gauge / Galga	1/8 Cut pile
Densité / Tuft Density / Densidad	173 228 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	16,0 mm
Masse totale / Total Weight / Peso total	2623 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1615 g/m <sup>2</sup>

TECHNICAL PERFORMANCES	
Classification (EN 1307)	22 Domestic General /Medium / LC5
Environment	GuT Prüfnummer 22157

Tufted broadloom carpet  
delivered in 4m width.



# TUFTLINE RIVOLI



Tufted broadloom carpet delivered in 4m width.




Rivoli 623504001-XXXXX



RIVOLI	
SPECIFICATION	N°623504001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 30 LM)
Surface / Pile Fibre / Fibra	100% PA
Premier dossier / Primary Backing / Soporte primario	Woven
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/8 Cut pile
Densité / Tuft Density / Densidad	154 350 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	16,5 mm
Masse totale / Total Weight / Peso total	2270 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1370 g/m <sup>2</sup>
Masse de velours utile / Mass of pile above the substrate / Peso útil	1090g/m <sup>2</sup>
Densité du velours de surface / Surface pile density / Densidad del hilo	0,12g/cm <sup>3</sup>
Epaisseur velours utile / Thickness of pile above the substrate / Altura del hilo	14,5 mm

TECHNICAL PERFORMANCES	
Classification (EN 1307)	22+ Domestic General / LC3
Environment	GuT Prüfnummer 24778


# TUFTLINE HONFLEUR



Tufted broadloom carpet delivered in 4m width.



Honfleur 517344001-XXXXX



HONFLEUR	
SPECIFICATION	N°517344001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25-30 LM)
Surface / Pile Fibre / Fibra	100% Laine/Wool
Premier dossier / Primary Backing / Soporte primario	
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/8- 2 multicoloured striped loop pile
Densité / Tuft Density / Densidad	103 950 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	5,0 mm
Masse totale / Total Weight / Peso total	2125 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1040 g/m <sup>2</sup>
Coordonnable au Normandy/Coordinable with Normandy Rapport dessin sur la largeur= 178 mm Width wise pattern repeats= 178 mm	

TECHNICAL PERFORMANCES	
Classification (EN 1307)	23/32- Commercial General / LC3
Environment	GuT Prüfnummer 23639

# TUFTLINE CABOURG – GIVERNY



Cabourg 1

Cabourg 2

Cabourg 3




Giverny

Tufted broadloom carpet  
delivered in 4m width.



## TECHNICAL DATA

### Cabourg 1 - 519214001-XXXXX



00063

### Cabourg 2 - 519224001-XXXXX



00029



00039



00083

### Cabourg 3 - 519234001-XXXXX



00092




00093


### Giverny 516264001-XXXXX




00044



00043



00046



00034



00037

CABOURG / GIVERNY	
SPECIFICATION	Cabourg 1: N°519214001-XXXXX Cabourg 2 - N°519224001-XXXXX Cabourg 3 - N°519234001-XXXXX Giverny N°516264001-XXXXX
	Dimensions / Dimensions / Dimensiones 400 cm lés (Rolls 25-30 LM)
	Surface / Pile Fibre / Fibra 100% Laine/Wool
	Premier dossier / Primary Backing / Soporte primario
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/8- 2 coloured striped loop pile
Densité / Tuft Density / Densidad	103 950 Stitches/m <sup>2</sup>
Epaisseur totale / Total Thickness / Espesor total	5,0 mm
Masse totale / Total Weight / Peso total	2125 g/m <sup>2</sup>
Poids de velours / Total pile mass / Peso fibra	1040 g/m <sup>2</sup>
Cabourg : Coordonnable au Normandy/Coordinable with Normandy Rapport dessin sur la largeur = 22-44-133 mm selon le coloris Width wise pattern repeats = 22-44-133 mm according to the color	
Giverny : Coordonnable au Normandy/Coordinable with Normandy Rapport dessin sur la largeur = 22mm Width wise pattern repeats = 22mm	
TECHNICAL PERFORMANCES	
Classification (EN 1307)	23/32- Commercial General / LC3
Environment	GuT Prüfnummer 23639

# TUFTLINE DEAUVILLE & NORMANDY



Deauville




Normandy

Tufted broadloom carpet delivered in 4m width.



## TECHNICAL DATA

### Deauville 516844001-XXXXX



NORMANDY	
SPECIFICATION	Normandy : N°515554001-XXXXX Deauville : N°516844001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25-30 LM)
Surface / Pile Fibre / Fibra	100% Laine/Wool
Premier dossier / Primary Backing / Soporte primario	
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga Normandy	1/8 Level loop pile
Jauge / Gauge / Galga Deauville	1/8- 2 coloured fine striped loop pile
Densité / Tuft Density / Densidad	103 950 Stitches/m²
Epaisseur totale / Total Thickness / Espesor total	5,0 mm
Masse totale / Total Weight / Peso total	2125 g/m²
Poids de velours / Total pile mass / Peso fibra	1040 g/m²
Deauville : Coordonnable au Normandy/Coordinable with Normandy Rapport dessin sur la largeur = 6mm Width wise pattern repeats = 6mm	

TECHNICAL PERFORMANCES	
Classification (EN 1307)	23/32- Commercial General/ LC3
Environment	GuT Prüfnummer 23639

### Normandy 515554001-XXXXX




# TUFTLINE PALMA



## TECHNICAL DATA

Palma 514554001-XXXXX



PALMA	
SPECIFICATION	N°514554001-XXXXX
Dimensions / Dimensions / Dimensiones	400 cm lés (Rolls 25-30 LM)
Surface / Pile Fibre / Fibra	100% Laine/Wool
Premier dossier / Primary Backing / Soporte primario	
Envers / Backing / Revés	Action Back
Jauge / Gauge / Galga	1/4 - Chunky level loop
Densité / Tuft Density / Densidad	30 020 Stitches/m²
Epaisseur totale / Total Thickness / Espesor total	9,0 mm
Masse totale / Total Weight / Peso total	2400 g/m²
Poids de velours / Total pile mass / Peso fibra	1360 g/m²

TECHNICAL PERFORMANCES	
Classification (EN 1307)	33- Commercial Heavy / LC4
Environment	GuT Prüfnummer 23867

Tufted broadloom carpet delivered in 4m width.

